

Erosion Control Plan

General Storm Water Notes

1. All operations will comply with the City's Jurisdictional Urban Runoff Management Plan (JURMP).
2. The owner and the owner's contractor are responsible for pollution prevention practices to prevent the discharge of sediment and pollutants to the public storm drain system.
3. Owner and the owner's contractor are responsible for the prevention of erosion caused by clearing of vegetation, grading, demolition or construction.
4. Sediment, pollution and erosion control measures will be implemented starting the first day of clearing, grading or soil disturbance, or construction. These controls will remain in effect until all relevant operations have been completed and disturbed soils have either: 1) established vegetation, or 2) other permanent erosion control at 70% completion.

Erosion And Sediment Control Notes

1. In case of emergency, contact: Name: _____,
Phone: _____
2. The contractor will maintain all sediment and erosion control devices in good working order to the satisfaction of the city engineer throughout every phase of the project.
3. The contractor will install all erosion control measures additional to those specified by the approved Erosion Control Plan if required to do so by the city engineer.
4. The contractor and property owner will prevent public trespass onto areas where impounded waters create a hazardous condition.
5. Graded areas around the project perimeter will drain away from the face of slopes at the end of each working day.
6. All gravel bags shall have $\frac{3}{4}$ inch minimum aggregate (No sandbags and no burlap type bags allowed).

(Do not place on the Construction Plans; circle YES or NO)

- Yes No 1. Does your project have 50 acres or more of disturbed soil?
- Yes No 2. Will your project have at least one acre of disturbed soil and (1) be tributary to a water body 303(d) listed for sediment or (2) be located less than 200 feet from and ESA or directly discharging to an ESA?
- Yes No 3. Will your project have at least one acre of disturbed soil but NOT (1) be tributary to a water body 303(d) listed for sediment and NOT (2) be located less than 200 feet from and ESA or directly discharging to an ESA?
- Yes No 4. Does your project require a grading permit?

General Construction Permit:

If the answer to questions 1, 2, or 3 in Section 2 is “Yes”, your project requires coverage under the General Construction Permit. A Notice of Intent (NOI) must be filed with the State Water Resources Control Board (SWRCB) and a Storm Water Pollution Prevention Plan (SWPPP) must be prepared for your project.

Yes No Is this project subject to the General Construction Permit?

Construction Activities Threat to Water Quality Prioritization:

If the answer to question 1 or 2 is YES, your project is **HIGH** priority.

If the answers to questions 1 and 2 are NO, but the answer to either question 3 or question 4 is YES, your project is **MEDIUM** priority.

If all answers are NO, your project is **LOW** priority.

(Place this note on the Construction Plans and check the appropriate box)

This project is HIGH MEDIUM LOW priority threat to water quality.