



EXHIBIT A

PRIVATE SEWER LATERAL INSPECTION AND REPAIR REPORT

Customer Name: _____ Address: _____ Phone: _____

Company Name: _____ Inspector's Name: _____ Phone: _____

Sewer Usage: Residential Commercial Condo/Apt Pipe Size: _____ Pipe Material: _____

CCTV Date: _____ Time: _____ Camera Direction: With Flow ___ Against Flow ___ Total Length: _____

- Cleanout is accessible outside of building.
- There is a sewer ejector pump at this property.
- Private sewer lateral crosses neighboring private property.
- Private sewer lateral connects to City sewer in public right of way.
- There is more than one structure at this address served by the private sewer lateral. Property has been verified as not requiring a backwater valve.
- Property has been verified as having a working backwater valve.
- Property needs a backwater valve.
- Property has been verified as having no outside surface drains (rainwater runoff) connected to the sewer system.

I recommend the following repairs to restore normal lateral function:

Recommended repairs have been made (***enclose a copy of the repair authorization, contract or invoice signed by the property owner***)

Lateral has been re-inspected to verify repairs

I certify that the information, recommended repairs and video recording I have provided with this form are true and correct:

Video Technician's signature: _____ Date: _____

The information submitted herewith complies with all requirements set forth by the City of El Cajon Municipal Code 14.46 inclusive. I declare under penalty of perjury that all information submitted here applies to the listed address only:

Plumber's signature: _____ Date: _____ License # _____

*Forms available on line at

<http://www.ci.el-cajon.ca.us/dept/works/PrivateBuildingSewerInspections.html>

Copies to: Public Works Owner/Site Address

Required enclosures:

1. Repair Authorization
2. DVD video inspection and re-inspection following repairs if needed
3. Completed Inspection Log. Note any observations using the observation codes
4. Sketch of lateral, lot, and building with dimensions referenced to front curb or edge of pavement and side property lines where possible. If inspection is a long lateral note spacing of cleanouts and entry locations for insertion of camera.

